

Application No.09/994,838  
Amendment Dated **February 2, 2004**  
Reply to Office Action of December 3, 2003

Attorney Docket No.: K-0354

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method for fabricating a plasma display panel comprising the steps of:

- depositing a first adhesive along a predetermined area outside an active picture of a first substrate;
- depositing a second adhesive outside a portion where the first adhesive is deposited, to have a predetermined interval from the first adhesive;
- depositing a sealant to align with upper portions of the first and second adhesives;
- depositing ~~[[an]]~~ a third adhesive outside a portion where the second adhesive is deposited, to have a predetermined interval from the second adhesive;
- aligning a second substrate on the first substrate; and
- attaching the first and second substrates to each other under a predetermined pressure.

Application No.09/994,838  
Amendment Dated **February 2, 2004**  
Reply to Office Action of December 3, 2003

Attorney Docket No.: K-0354

2. (Original) The method of claim 1, wherein the first and second adhesives are made of the same material as each other.

3. (Original) The method of claim 1, wherein the first and second adhesives are made of a material that is not deformed by an attachment pressure.

4. (Original) The method of claim 1, wherein the sealant is made of a material deformed by the attachment pressure.

5. (Original) The method of claim 1, wherein the sealant is an elastomer based material.

6. (Original) The method of claim 1, wherein all the steps are carried out at a room temperature.

7. (Currently Amended) A plasma display panel comprising:  
a first substrate;

Application No.09/994,838  
Amendment Dated **February 2, 2004**  
Reply to Office Action of December 3, 2003

Attorney Docket No.: K-0354

a first adhesive deposited along a predetermined area outside an active picture of a first substrate;

a second adhesive deposited outside a portion where the first adhesive is deposited, to have a predetermined interval from the first adhesive;

a sealant deposited to align with upper portions of the first and second adhesives;

[[an]] a third adhesive deposited outside a portion where the second adhesive is deposited, to have a predetermined interval from the second adhesive; and

a second substrate aligned on the first substrate in a state where it is adhered to surfaces of the sealant and the third adhesive.

8. (Original) The plasma display panel of claim 7, wherein the first and second adhesives are made of the same material as each other.

9. (Original) The plasma display panel of claim 7, wherein the sealant is made of a material deformed by an attachment pressure.

10. (Original) The plasma display panel of claim 7, wherein the sealant is an elastomer based material.